

TITANIUM G-LS

TALL FESCUE



Titanium G-LS (PPG-TF 255) has the top 2020 NTEP score on overall turf quality ratings, scoring in the top 25% more than 68% of the time. Titanium G-LS is known for its Gray Leaf Spot (G) resistance and best in class spring & fall density. This tall fescue excels across multiple regions, making Titanium G-LS versatile without sacrificing performance. Lateral Spread™ (LS), low-mow ability and very dark green color make this variety a clear standout!

STELLAR PERFORMANCE IN MULTIPLE REGIONS

EXCELLENT SPRING AND FALL DENSITY

LOW MOW ABILITY

OVERALL TOP NTEP QUALITY SCORE

GRAY LEAF SPOT RESISTANCE

LATERAL SPREAD™ TECHNOLOGY

AREAS OF USE

- Professional Lawn and Landscape
- Residential Lawn
- Municipal Use
- Sports Fields

NTEP DATA

Variety	Grey Leaf Spot Tolerance	Turf Quality N. Central	Spring Density	Genetic Color	Turf Quality Mountain
Titanium G-LS	8.0	6.8	6.8	6.5	7.3
Bonfire	8.2	6.6	6.4	6.2	7.2
Birmingham	7.0	6.4	6.4	6.2	6.7
Lifeguard	7.0	6.5	6.6	5.9	6.7
Paramount	6.8	6.6	6.3	6.0	6.9
Firehawk SLT	6.2	6.7	6.0	6.1	7.1
Hemi	6.2	6.6	6.0	5.9	7.0
LSD	0.8	0.3	0.5	0.2	0.4

2019-2020 NTEP Data, All Mean Data Used. Turfgrass Quality and Other Ratings 1-9; 9=Best

SEEDING

Tall fescue prefers warmer soil for germination, typically 55°F to 58°F. In the Transition zone this means early spring and early fall. Further north, late spring and late summer is preferred. Titanium G-LS should be sown at a rate of 6-9 lbs per 1000 sq ft (275-400 lbs per acre). Maximum density is achieved by planting with a slicer/seeder or following aerification, and with the application of a starter fertilizer. Overseed existing tall fescue at a rate of 225-300 lbs per acre.

MAINTENANCE

Titanium G-LS's natural dark color, density, and pest resistance minimize the need for extensive maintenance. Generally 2-3 lbs of nitrogen as part of a balanced fertilizer applied annually is all that's required. Cutting heights should range between 2-3". Under controlled conditions heights down to 1" can be maintained.

